


Light efficiency:



Light quality:



Color temperature:



Output: 109 lm

Peak: 460 cd

Power: 12.7 W

PF: 0.63

4 PLANES




Product name:
MEDI-O RGBA Zoom 24 degrees full red

Date and time:
5/13/2021 12:45:19 PM

Item number:
NA

Minimum order quantity:
NA

Additional information:
Ludicrous Mode with zoom 24 degrees (DMX128), full red






Color




CIE1931
x: 0.703
y: 0.295

Spectra







TM30: 0.0



CRI: 0.0 (R1-R8)



CRI R values, only R1-R8 are used to calculate final CRI value

R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00


TM30 C values, 16 binned values out of total of 99 C values

C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CQS Q values


Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CQS: 0.0



Color parameters

CCT	CRI	CRI R9	TM30 Rf	TM30 Rg	CQS	x	y	u	v	Duv
0 K	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.5	0.3	NaN



Intensities in 0° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
457	450	420	376	326	273	223	178	139	107	82	63	47	36	27	20	15	12	9	7
100%	98%	92%	82%	71%	60%	49%	39%	30%	23%	18%	14%	10%	8%	6%	4%	3%	3%	2%	2%

Intensities in 90° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
457	449	421	380	329	277	227	182	144	111	85	64	48	36	27	20	15	12	9	7
100%	98%	92%	83%	72%	61%	50%	40%	31%	24%	19%	14%	11%	8%	6%	4%	3%	3%	2%	1%

Intensities in 180° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
457	444	415	373	324	274	223	179	141	110	84	64	48	36	27	20	15	12	9	7
100%	97%	91%	82%	71%	60%	49%	39%	31%	24%	18%	14%	10%	8%	6%	4%	3%	3%	2%	2%

Intensities in 270° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
457	446	417	374	325	275	227	183	144	111	85	64	48	36	26	20	15	11	8	7
100%	98%	91%	82%	71%	60%	50%	40%	32%	24%	19%	14%	10%	8%	6%	4%	3%	2%	2%	1%

Beam angle 50%	Field angle 10%	Cutoff angle 2.5%	Intensity ratio in 120° cone	Intensity ratio in 90° cone
23.6°	48.6°	68.0°	99.4%	97.5%