




Light efficiency:



Light quality:



Color temperature:



Output: 54.1 lm

Peak: 168 cd

Power: 12.7 W

PF: 0.62

4 PLANES




Product name:
MEDI-O RGBA Zoom 27 degrees full Blue

Date and time:
5/13/2021 12:51:10 PM

Item number:
NA

Minimum order quantity:
NA

Additional information:
Ludicrous Mode with zoom 27 degrees (DMX128), full Blue






Color




CIE1931
x: 0.155
y: 0.024

Spectra





TM30: 0.0



CRI: 0.0 (R1-R8)

0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16

0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	

CRI R values, only R1-R8 are used to calculate final CRI value

R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

TM30 C values, 16 binned values out of total of 99 C values

C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CQS Q values


Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CQS: 0.0

0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15

Color parameters

CCT	CRI	CRI R9	TM30 Rf	TM30 Rg	CQS	x	y	u	v	Duv
0 K	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	NaN



Intensities in 0° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
167	165	157	144	128	112	95	79	66	53	43	34	27	21	17	13	11	9	7	6
100%	98%	94%	86%	77%	67%	57%	47%	39%	32%	26%	21%	16%	13%	10%	8%	6%	5%	4%	3%

Intensities in 90° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
167	165	157	144	129	113	96	81	67	54	44	35	28	22	17	14	11	9	7	6
100%	99%	94%	86%	77%	67%	57%	48%	40%	33%	26%	21%	17%	13%	10%	8%	7%	5%	4%	3%

Intensities in 180° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
167	164	156	143	127	111	95	80	66	54	43	34	27	21	17	13	11	9	7	6
100%	98%	93%	85%	76%	66%	57%	48%	39%	32%	26%	20%	16%	13%	10%	8%	6%	5%	4%	3%

Intensities in 270° c-plane

0°	2°	4°	6°	8°	10°	12°	14°	16°	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°
167	163	154	142	127	111	96	81	67	54	44	35	28	21	17	13	11	8	7	6
100%	98%	92%	85%	76%	67%	57%	48%	40%	33%	26%	21%	16%	13%	10%	8%	6%	5%	4%	3%

Beam angle 50%	Field angle 10%	Cutoff angle 2.5%	Intensity ratio in 120° cone	Intensity ratio in 90° cone
26.9°	56.2°	82.2°	98.2%	93.9%